## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: DC Supplier's address: Einkauf, Gewerbestraße 10, DE												
							Model identifier: LED3TuBADL					
							Type of light source:					
Lighting technology used:	LED	Non-directional or directional:	NDLS									
Light source cap-type	BA15d											
(or other electric interface)												
Mains or non-mains:	NMLS	Connected light source (CLS):	Nein									
Colour-tuneable light source:	Nein	Envelope:	-									
High luminance light source:	Nein											
Anti-glare shield:	Nein	Dimmable:	Only with specific dimmers									
Product parameters												
Parameter	Value	Parameter	Value									
General product parameters:												
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		Energy efficiency class	G									
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700									
On-mode power (P <sub>on</sub> ), expressed in W	2,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00									
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80									
Outer Height Width	55 20	Spectral power distribution in the	See image in last page									

without separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	Depth	20	range 250 nm to 800 nm, at full-load			
Claim of equiva	lent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-		
			Chromaticity	0,469		
			coordinates (x and y)	0,418		
Parameters for LED and OLED light sources:						
R9 colour rende	ering index value	17	Survival factor	0,90		
the lumen main	tenance factor	0,70				

(a)'-': not applicable;

(b)<sub>'-'</sub> : not applicable;

