## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: DC

Supplier's address: Einkauf, Gewerbestraße 10, DE

Model identifier: LED12SU4L/3

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	GU4		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	Nein
Colour-tuneable light source:	Nein	Envelope:	-
High luminance light source:	Nein		
Anti-glare shield:	Nein	Dimmable:	Only with specific dimmers

## **Product parameters**

Parameter		Value	Parameter	Value		
General product parameters:						
Energy consum mode (kWh/100 up to the nearest	0 h), rounded	2	Energy efficiency class	F		
Useful luminous indicating if it re in a sphere (36 cone (120 <sup>°</sup> ) or in (90 <sup>°</sup> )	fers to the flux Dº), in a wide	190 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode po expressed in W	ower (P <sub>on</sub> ),	2,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00		
Networked stand for CLS, express rounded to the s	sed in W and	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	90		
Outer	Height	35	Spectral power	See image		
dimensions	Width	35	distribution in the	in last page		

without separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	Depth	35	range 250 nm to 800 nm, at full-load			
Claim of equival	ent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-		
			Chromaticity	0,444		
			coordinates (x and y)	0,408		
Parameters for LED and OLED light sources:						
R9 colour rende	ring index value	52	Survival factor	0,90		
the lumen maintenance factor		0,70				
(2)		1				

(a)'-' : not applicable;

(b)'-' : not applicable;

